


BLUE RIVER


Condensate drain pan with heating cable

- cod. SCD300068 - cod. SCD300069 - cod. SCD300072
- cod. SCD300073 - cod. SCD300076 - cod. SCD300077



TECHNICAL SPECIFICATIONS:

- Made of ABS + PMMA plastic ivory
- Adjustable fastening brackets in PA6
- Coupling for condensate drain pipe Ø 20 mm
- With 3 m or 6 m heating cable
- Heating cable diameter 6 mm
- Power supply voltage 230 V
- Resistance tolerances: -5% / +10%
- Activation of element at +3°C
- Built-in thermal sensor



DIMENSIONS

CODE	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]
SCD300068	850	400	130	320 ÷ 680	85
SCD300069	850	400	130	320 ÷ 680	85
SCD300072	1050	400	125	330 ÷ 885	85
SCD300073	1050	400	125	330 ÷ 885	85
SCD300076	1250	500	100	565 ÷ 1125	85
SCD300077	1250	500	100	565 ÷ 1125	85

WITH HEATING CABLE 3 m:



- Includes 15 W/m 3 m heating cable
- Coupling for condensate drain pipe Ø 16
- Heating cable diameter 6 mm
- Power supply voltage 230 Vac - 50 Hz
- Resistance tolerances: -5% / +10%
- Activation of element at +3°C
- Built-in thermal sensor

WITH HEATING CABLE 3+3 m:



- Includes 15 W/m 3 m + 3 m (6 m) heating cable
- Coupling for condensate drain pipe Ø 20
- Equipped with a condensate drain pipe securing clamp
- With 3 m insulated condensate drain pipe
- Heating cable diameter 6 mm
- Power supply voltage 230 V
- Resistance tolerances: -5% / +10%
- Activation of element at +3°C
- Built-in thermal sensor

ITEMS

CODE	DESCRIPTION
SCD300068	"BLUE RIVER" DRAIN PAN IN PMMA W/TELESCOPIC BRACKETS & BLOCKING RACK & 3 mt HEATING CABLE (850x400 mm)
SCD300069	"BLUE RIVER" DRAIN PAN IN PMMA W/TELESCOPIC BRACKETS & BLOCKING RACK & 6 mt HEATING CABLE (850x400 mm)
SCD300072	"BLUE RIVER" DRAIN PAN IN PMMA W/TELESCOPIC BRACKETS & BLOCKING RACK & 3 mt HEATING CABLE (1050x400 mm)
SCD300073	"BLUE RIVER" DRAIN PAN IN PMMA W/TELESCOPIC BRACKETS & BLOCKING RACK & 6 mt HEATING CABLE (1050x400 mm)
SCD300076	"BLUE RIVER" DRAIN PAN WITH 3 mt HEATING CABLE (1250x500 mm)
SCD300077	"BLUE RIVER" DRAIN PAN WITH 6 mt HEATING CABLE (1250x500 mm)

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
 Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.